



CRANE SPECIFICATION

4.9T MAEDA CC505

COMPREHENSIVE LIFTING SOLUTIONS

We look forward to providing a full heavy lift engineering and crane solution for your next project. Our heavy lift engineers and on site personnel are experienced in managing and organising highly de-manding lift requirements.

Contact us to discuss your lifting requirements and a free quote.

BRISBANE (HQ)

07 3907 5800
37 Paringa Rd, Murarrie, QLD, 4172

ROMA

07 4622 5522
8 Wormwell Drive, Roma QLD 4455

BALLINA

02 6686 7748
5 Convair Ave, Ballina, NSW, 2478

SUNSHINE COAST

0409 595 618
562 Maroochydore Rd, Kunda Park, QLD, 4556

GLADSTONE

07 4972 9326
7 Red Cover Rd, Gladstone, QLD, 4680

TOWNSVILLE

07 4779 4088
16 Mackley St, Garbutt QLD 4814

ROCKHAMPTON

07 4939 1095
371 Leichhardt St, Rockhampton QLD, 4700

MACKAY


07 4952 6998
135 Diesel Drive, Paget QLD 4740

GOLD COAST


07 5593 4688
9 Kimberley Rd, Burleigh Heads, QLD, 4220



MAEDA CC-505 4.9T CRAWLER CRANE **RATED LIFTING CAPACITIES FOR MAIN BOOM**



1990 1991 1992 1993 1994



MAEDA CC-505 4.9T CRAWLER CRANE RATED LIFTING CAPACITIES FOR MAIN BOOM

RATED LIFTING CAPACITIES FOR MAIN BOOM

WORKING RADIUS(M)	4.56m BOOM		7.31m BOOM		10.06m BOOM		12.81m BOOM		15.56m BOOM	
	STANDING	TRAVELLING	STANDING	TRAVELLING	STANDING	TRAVELLING	STANDING	TRAVELLING	STANDING	TRAVELLING
2.0	4900	2000	4900	2000	2600	1400	1900	A	-	A
2.1	4900	2000	4610	2000	2480	1360	1900	-	-	-
2.5	3720	2000	3670	2000	2100	1140	1900	-	1300	-
2.7	3310	1800	3310	1810	1950	1050	1900	-	1300	-
3.0	2840	1650	2870	1560	1750	940	1710	-	1300	-
3.15	2640	1440	2680	1450	1680	900	1620	-	1300	-
3.45	2320	1280	2360	1270	1510	810	1470	-	1220	-
3.5	-	-	2310	1240	1490	800	1450	-	1200	-
4.0	-	-	1900	1010	1280	690	1240	-	1080	-
4.5	-	-	1590	830	1120	610	1080	-	990	-
5.0	-	-	1340	690	980	540	950	-	880	-
5.5	-	-	1140	580	870	490	830	-	790	-
6.0	-	-	970	480	770	440	740	-	710	-
6.2	-	-	970	450	740	430	710	-	680	-
6.5	-	-	-	-	690	400	660	-	640	-
7.0	-	-	-	-	620	370	590	-	570	-
7.5	-	-	-	-	560	340	530	-	510	-
8.0	-	-	-	-	500	-	470	-	460	-
8.5	-	-	-	-	450	-	420	-	1400	-
8.95	-	-	-	-	420	-	380	-	360	-
9.0	-	-	-	-	-	-	340	-	360	-
9.5	-	-	-	-	-	-	310	-	310	-
10.0	-	-	-	-	-	-	270	-	270	-
10.5	-	-	-	-	-	-	260	-	230	-
11.0	-	-	-	-	-	-	260	-	190	-
11.5	-	-	-	-	-	-	260	-	160	-
11.7	-	-	-	-	-	-	-	-	150	-
12.0	-	-	-	-	-	-	-	-	150	-
12.5	-	-	-	-	-	-	-	-	150	-
13.0	-	-	-	-	-	-	-	-	150	-
13.5	-	-	-	-	-	-	-	-	150	-
14.0	-	-	-	-	-	-	-	-	150	-
14.45	-	-	-	-	-	-	-	-	150	-

NOT USED

NOT USED